

**SEX DIFFERENTIATION THROUGH
MORPHOLOGICAL COMPARISON AND
LENGTH-WEIGHT CORRELATION OF BLUE SPOTTED
MUDSKIPPER, *Boleophthalmus boddarti* (Pallas, 1770)**

NUR HIDAYAH MOHD NOR

**Final Year Project Report Submitted in
Partial Fulfillment of the Requirement for the
Degree of Bachelor of Science (Hons.) Biology
In the Faculty of Applied Sciences
Universiti Teknologi MARA**

JULY 2018

This Final Year Project Report entitled “**Sex Differentiation Through Morphological Comparison and Length-Weight Correlation of Blue Spotted Mudskipper, *Boleophthalmus boddarti* (Pallas, 1770)**” was submitted by Nur Hidayah binti Mohd Nor, in partial fulfillment of the requirements for the Degree of Bachelor of Science (Hons.) Biology, in the Faculty of Applied Sciences, and was approved by

Dr. Izzati Adilah binti Azmir
Supervisor
Faculty of Applied Sciences
Universiti Teknologi MARA (UiTM)
Negeri Sembilan, Kampus Kuala Pilah,
Pekan Parit Tinggi, 72000 Kuala Pilah
Negeri Sembilan

Lili Syahani binti Rusli
Coordinator FSG661 AS201
Faculty of Applied Sciences
Universiti Teknologi MARA (UiTM)
Negeri Sembilan, Kampus Kuala Pilah,
Pekan Parit Tinggi, 72000 Kuala Pilah
Negeri Sembilan

Dr. Aslizah binti Mohd Aris
Head of Biology School
Faculty of Applied Sciences
Universiti Teknologi MARA (UiTM)
Negeri Sembilan, Kampus Kuala Pilah,
Pekan Parit Tinggi, 72000 Kuala Pilah
Negeri Sembilan

Date: _____

TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	iv
LIST OF FIGURES	vi
LIST OF ABBREVIATIONS	vii
ABSTRACT	ix
ABSTRAK	x
CHAPTER 1: INTRODUCTION	
1.1 Background Study	1
1.2 Problem Statement	2
1.3 Significant of the Study	3
1.4 Objectives of the Study	4
CHAPTER 2: LITERATURE REVIEW	
2.1 Mudskipper Species (<i>Boleophthalmus Boddarti</i>)	5
2.1.1 Taxanomic description and morphology	5
2.2 Mudskipper Habitat	8
2.3 Mudskipper Diet	9
2.4 The Behavior of Mudskipper	10
2.5 Reproductive Biology	11
2.6 Importance of Sex Determination in Fish Studies	12
CHAPTER 3: METHODOLOGY	
3.1 Study Sites	14
3.1.1 Matang Perak	14
3.1.2 Pekan Pahang	15
3.1.3 Pendas Johor	15
3.2 Materials	17
3.2.1 Raw Materials	17
3.2.2 Chemicals	17
3.2.3 Apparatus	17
3.3 Methods	17
3.3.1 Samples Collection and Preservation	18
3.3.2 Samples Thawing	18
3.3.3 Samples Identification	18
3.3.4 Countification of Length and Weight	19
3.3.5 Samples Dissection	20
3.3.6 Internal Organs Drawing	20
3.3.7 Morphological Comparison of Mudskipper sexes	20

3.3 Data Analysis	22
CHAPTER 4: RESULTS AND DISCUSSION	
4.1 The Internal Organs and External Features of <i>Boleophthalmus boddarti</i>	23
4.2 The Mudskipper Gonads	25
4.2.1 Mature Female Gonad	26
4.2.2 Mature Male Gonad	28
4.2.3 Immature Male Gonad	29
4.3 The comparison of liver size in mature and immature ovary	30
4.3.1 Maturing Ovary	30
4.3.2 Immature Ovary	31
4.4 Length and Weight Relationship	32
CHAPTER 5: CONCLUSIONS AND RECCOMENDATIONS	35
CITED REFERENCES	37
APPENDICES	48
CURRICULUM VITAE	56

ABSTRACT

SEX DIFFERENTIATION THROUGH MORPHOLOGICAL COMPARISON AND LENGTH-WEIGHT CORRELATION OF BLUE SPOTTED MUDSKIPPER, *Boleophthalmus boddarti* (Pallas, 1770)

This study was focused on aspects of sex differentiation through morphological comparison and length-weight correlation of Blue Spotted mudskipper, *Boleophthalmus boddarti* (Pallas, 1770). This species is known to contribute economically as food or baits industrial or in fisheries management. A total of 70 samples were collected from the three selected mangrove areas in Peninsular Malaysia including Matang Perak, Pekan Pahang and Pendas Johor. The length and weight of the individuals were recorded for further data analysis. The gonads of the samples were critically observed to differentiate the gonads of male and female in terms of coloration, contents, structure or texture. The results from the observation shows that male exhibit pinkish color when mature while the female ovary appeared in yellowish color when mature. The texture of both male and female gonads having the lobes indicate that the development of the content. Interestingly, the maturity of the female ovary is connected with the size of the liver stated that the liver play an important role in maturation of ovary by providing the nutrition such as lipids and vitellogenin crucial for the development of the eggs. In this study reveals that the length-weight correlation of male is slightly higher than female in which the correlation coefficient, R^2 for male is 0.971 while the female is 0.959. In length and weight correlation between the two sexes, male and female show a strong positive regression. The data analysis result shows that 95% confident that the true regression line slope, b in male is between 2.759 and 3.007 and for female is between 2.876 and 3.414. From the length-weight relationship graph, the length of the fish increases, the weight of the fish also increases. The slope in female and male are both $b \neq 3$. In the value of b is 2.198 smaller than 3 ($b < 3$) thus the male is expressing the negative growth of allometric. However for the slope of the female is 3.145 to the nearest one $b = 3$, showing that female exhibit isometric growth pattern.